

# Certificate of Compliance

**Certificate Number:**

UL-US-2407819-0

**Report Reference:**

E494837-20240330

**Issue Date:**

2024-04-10

Issued to:

**PRECISION DIGITAL CORP  
233 South St Hopkinton, MA 01748  
United States**

This certificate confirms that representative samples of:  
**QUZW - Process Control Equipment for Use in Hazardous Locations**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 1203, Edition 6, Issue Date 2023-07-10**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-2407819-0  
**Report reference** E494837-20240330  
**Date** 2024-04-10

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
Series PD663, followed by 0, followed by K or L, followed by 0 or A, followed by 00 or SS, and may be followed by 9-digit alphanumeric code that is non-safety critical	Process Control Equipment For Use in Class I, Division 1, Groups B, C, and D; Class II, Division 1, Groups E, F, and G; Class III, Division 1 Hazardous (Classified) Locations. Temperature Classification: T6. Ambient Temperature: $-55^{\circ}\text{C} \leq T_a \leq +75^{\circ}\text{C}$ .
Series PD68, followed by 00, 01, 20, 30, or 70, followed by 0, A, B, C, or D, followed by K, L, M, P, T, or X, followed by 0, 1, A, or B, may be followed by 0, I, M, or X, may be followed by blankAL, or SS, and may be followed by 9-digit alphanumeric code that is non-safety critical	Process Control Equipment For Use in Class I, Division 1, Groups B, C, and D; Class II, Division 1, Groups E, F, and G; Class III, Division 1 Hazardous (Classified) Locations. Temperature Classification: T6. Ambient Temperature: $-55^{\circ}\text{C} \leq T_a \leq +75^{\circ}\text{C}$ .
Series PD69, followed by 07, 08, 28, 38, 78, 80, 81, 88, or 89, followed by EX or HA, followed by AL or SS, followed by A, B, C, D, L, M, or N, followed by N, 2, 3, or 5, followed by N, C, H, or M, and may be followed by 9-digit alphanumeric code that is non-safety critical	Process Control Equipment For Use in Class I, Division 1, Groups B, C, and D; Class II, Division 1, Groups E, F, and G; Class III, Division 1 Hazardous (Classified) Locations. Temperature Classification: T6. Ambient Temperature: $-55^{\circ}\text{C} \leq T_a \leq +75^{\circ}\text{C}$ .



David Picuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:**

UL-US-2407820-0

**Report Reference:**

E494837-20240330

**Issue Date:**

2024-04-10

Issued to:

**PRECISION DIGITAL CORP  
233 South St Hopkinton, MA 01748  
United States**

This certificate confirms that representative samples of:

**QVAJ - Process Control Equipment for Use in Zone Classified Hazardous Locations**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 60079-0, Edition 7, Issued 2019-03-26, Revised 2020-04-15,  
UL 60079-1, Edition: 7, Issue Date: 2015-9-18, Revision Date:  
2020-1-23, UL 60079-31, Edition: 2, Issue Date: 2015-6-12,  
Revision Date: 2020-8-13**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-2407820-0  
**Report reference** E494837-20240330  
**Date** 2024-04-10

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
Series PD663, followed by 0, followed by K or L, followed by 0 or A, followed by 00 or SS, and may be followed by 9-digit alphanumeric code that is non-safety critical	Process Control Equipment For Use in Class I, Zone 1, AEx db IIC Gb, Zone 21, AEx tb IIIC Db Hazardous (Classified) Locations. T85°C. Ambient Temperature: $-55^{\circ}\text{C} \leq T_a \leq +75^{\circ}\text{C}$ .
Series PD68, followed by 00, 01, 20, 30, or 70, followed by 0, A, B, C, or D, followed by K, L, M, P, T, or X, followed by 0, 1, A, or B, may be followed by 0, I, M, or X, may be followed by blankAL, or SS, and may be followed by 9-digit alphanumeric code that is non-safety critical	Process Control Equipment For Use in Class I, Zone 1, AEX db IIC Gb, Zone 21, AEx tb IIIC Db Hazardous (Classified) Locations. T85°C. Ambient Temperature: $-55^{\circ}\text{C} \leq T_a \leq +75^{\circ}\text{C}$ .
Series PD69, followed by 07, 08, 28, 38, 78, 80, 81, 88, or 89, followed by EX or HA, followed by AL or SS, followed by A, B, C, D, L, M, or N, followed by N, 2, 3, or 5, followed by N, C, H, or M, and may be followed by 9-digit alphanumeric code that is non-safety critical	Process Control Equipment For Use in Class I, Zone 1, AEx db IIC Gb, Zone 21, AEx tb IIIC Db Hazardous (Classified) Locations. T85°C. Ambient Temperature: $-55^{\circ}\text{C} \leq T_a \leq +75^{\circ}\text{C}$ .



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

