# LIGHT&HORN

**Accessory for Helios and ProVu Meters** 









Green











3 Layered Colors

#### Presenter



Joe Ryan VP of Sales & Marketing

#### Agenda

01

02

03

Light / Horn Overview Light / Horn for Helios

Light / Horn for PROVU

04

Application Examples

05

Other Accessories



# PRECISION DIGITAL + 10 Control of the control of th

Intelligent

**Monitoring** 

& Control

#### **Takeaways**



Identify ways you can use the Light / Horn accessory to satisfy alarm applications



Understand how the Light / Horn accessory installs and is powered by the meter



See an actual demonstration of the Light / Horn and Reset Button in action



Know what NEMA 4 and 4X enclosures are available for PROVU and the Light / Horn





# **Light / Horn Overview**

#### What does it do?

Intelligent

Monitoring & Control





Adds visual and audible alarm capabilities to Helios and PROVU Meters



The light and horn are controlled and reset independently from separate relays



The light can be wired to flash (not available on 5 color light) or stay steady on



Powered by the meter's internal transmitter power supply



#### How is it installed?





Intelligent Monitoring

& Control

- Mounted and wired to meter from factory
- Ready to go!

Meter and MOD-PD2LH are sold separately.



#### **P**RO**V**U

- Holes are drilled into the enclosure for Light / Horn and Reset Button
- User mounts and wires them

Meter, enclosure, & MOD-LH are sold separately.

#### How is it powered up?



The Light / Horn is powered by the meter's 200 mA internal transmitter power supply



17 mA + 20 mA = 37 mA Red light + Horn = Power used

To determine the remaining power, add the currents for the light(s) being used and the horn if used.

See manual for details.



Typically there is enough power left to power the transmitter



If more power is needed for the transmitter, then consider our external power supply (PDA1024-01)



Intelligent

#### How do I order it?

Intelligent Monitoring & Control



All items are sold separately. Order the meter and MOD-PD2LH model as separate items:

Item	Description
1	Helios Meter with 2 or 4 Relays
2	MOD-PD2LH Light / Horn / 1 Reset Button Mounted and Wired to Helios



All items are sold separately. Assembly required. Order the meter, enclosure, and MOD-LH model as separate items:

Item	Description
1	PROVU Meter with 2 or 4 Relays
2	NEMA 4 or NEMA 4X Enclosure that Accepts MOD-LH
3	MOD-LH Light / Horn and Reset Button with Holes Drilled in Enclosure



# **Light / Horn for Helios**

#### MOD-PD2LH – Light / Horn for Helios Meters



Maintains NEMA 4X rating, but voids UL approval.

Intelligent Monitoring

& Control



Includes a light with an 85 dB horn, and a reset button



Mounted and wired to Helios from factory



Powered by the Helios's Internal transmitter power supply



Helios supports up to 4 internal relays

#### 3 Light Options



#### **Single Color Light**

Available in Red, Green, Yellow, Blue, or White Light

Intelligent

**Monitoring** 

& Control

Flashing or Steady On Light



#### **5 Color Light**

User Selectable Red, Green, Yellow, Blue, or White Light Steady On Light



#### 3 Layered Color Light

Three Color Layers in Red, Yellow, and Green

Flashing or Steady On Light



Intelligent Monitoring & Control



Model	Price	Light	Horn	Reset Button	Light Action
MOD-PD2LHRB1	\$300		<b>✓</b>	✓	Flash or Steady On
MOD-PD2LHGB1	\$300		<b>✓</b>	✓	Flash or Steady On
MOD-PD2LHYB1	\$300		<b>✓</b>	✓	Flash or Steady On
MOD-PD2LHBB1	\$300		<b>✓</b>	✓	Flash or Steady On
MOD-PD2LHWB1	\$300		<b>✓</b>	✓	Flash or Steady On
MOD-PD2LH5CB1	\$350		<b>✓</b>	✓	Steady On
MOD-PD2LH3LCB1-RYG	\$400		<b>✓</b>	✓	Flash or Steady On

All come mounted and wired to Helios from factory.

#### PD2 Video Demo

• This is a placeholder slide

Intelligent Monitoring & Control





# **Light / Horn for ProVu**

#### MOD-LH – Light / Horn for PROVU Meters



Intelligent Monitoring

& Control



Includes a light with an 85 dB horn, and a reset button



Holes are drilled for light / horn and reset button in enclosure



Powered by the PROVu's internal transmitter power supply



PROVU supports up to 4 internal relays



#### 3 Light Options



**Single Color Light** 

Available in Red, Green, Yellow, Blue, or White Light

Intelligent

**Monitoring** 

& Control

Flashing or Steady On Light



**5 Color Light** 

User Selectable Red, Green, Yellow, Blue, or White Light Steady On Light



3 Layered Color Light

Three Color Layers in Red, Yellow, and Green

Flashing or Steady On Light

#### Available on These Enclosures



PDA2300 Economical Plastic NEMA 4X Enclosures Available on all enclosures



PDA2700 Steel
NEMA 4 Enclosures
Available on all enclosures



PDA2500 Rugged Plastic NEMA 4X Enclosures Available on all enclosures



PDA2800 Smallest Footprint
Plastic NEMA 4X Enclosures
Available on all enclosures except
PDA2801 and PDA2812.



Intelligent

Monitoring & Control

PDA2600 Stainless Steel NEMA 4X Enclosures Available on all enclosures



PDA3400 Internally Mounted
Plastic NEMA 4X Enclosures
Available on all enclosures except the
PDA3411, PDA3412, PDA3414.

#### **MOD-LH Pricing**

Intelligent Monitoring & Control



Model	Price	Light	Horn	Reset Button	Light Action
MOD-LHRB1	\$275		<b>~</b>	✓	Flash or Steady on
MOD-LHGB1	\$275		<b>✓</b>	✓	Flash or Steady on
MOD-LHYB1	\$275		<b>~</b>	✓	Flash or Steady on
MOD-LHBB1	\$275		✓	✓	Flash or Steady on
MOD-LHWB1	\$275		<b>~</b>	✓	Flash or Steady on
MOD-LH5CB1	\$325		<b>~</b>	✓	Steady on
MOD-LH3LCB1-RYG	\$375	• • •	<b>~</b>	✓	Flash or Steady on

Enclosure comes pre-drilled with holes for light / horn and reset button. Installation by user.

#### Video Demo


Intelligent Monitoring & Control • This is a placeholder slide





# **Application Examples**

#### Single Light





#### 5 Color Light

Intelligent Monitoring & Control











	Relay 1	Relay 2		Relay 3	Relay 4
Purpose	Low Alarm	All OK	High Alarm	Low Alarm	High Alarm
Range	< 199	200 to 500	> 500	< 199	> 500
Set	200	501	501	199	501
Reset	199	500	500	200	500
Action	Auto	Auto	Auto	Latch	Latch



#### 3 Layered Color Light

Intelligent Monitoring & Control











	Relay 1	Relay 2		Relay 3	Relay 4
Purpose	All OK	Warning	High Alarm	Warning	High Alarm
Range	< 199	200 to 500	> 500	200 to 500	> 500
Set	200	501	501	200	501
Reset	199	500	500	199	500
Action	Auto	Auto	Auto	Latch	Latch





### **Other Accessories**

#### PDA1024-01 24 VDC Power Supply

- Provides additional power to power the transmitter
- Fits inside most enclosures
- Mounts on a DIN rail
- \$82


Intelligent **Monitoring** 

& Control






- Provides 4 external relays
- · Adds even more alarming possibilities
- \$83



#### PD9502 - Low-Cost Signal Generator






#### PD420 - Panel Mount 4-20 mA Set-Point Generator

Intelligent Monitoring

& Control





# PARCISION DIGITAL + 10 Control of the control of th

Intelligent

**Monitoring** 

& Control

#### Summary



Adds visual and audible alarm capabilities to Helios and PROVU Meters



The light and horn are controlled and reset independently from separate relays



The light can be wired to flash (select models) or stay steady on



Powered by the meter's internal transmitter power supply







Joe Ryan VP of Sales & Marketing

#### For additional questions

jryan@predig.com



1-800-343-1001 ext. 131

#### Follow us







